




TruLab L Level 1

LOT 32552



In-vitro-diagnostic for veterinary use only



2025-01

Cat. No. 5 9020 99 11 065 (3 x 3 mL)

Value sheet version: 2

| Short Name / Analyte | Method | Reagent ID | Value | Range | Unit |
|----------------------------------------------------------------------|---------------------------------|------------|---------------|----------------------------|---------------|
| APOA1 Apolipoprotein A1 | Immunoturbidimetric | 1 7102 | 106 1.06 | 85.1 - 128 0.851 - 1.28 | mg/dL g/L |
| APOB Apolipoprotein B | Immunoturbidimetric | 1 7112 | 85.4 0.854 | 68.3 - 102 0.683 - 1.02 | mg/dL g/L |
| CHOL Cholesterol | CHOD-PAP | 1 1300 + | 160 | 137 - 182 | mg/dL |
| | | 1 1350 | 4.13 1.60 | 3.55 - 4.70 1.37 - 1.82 | mmol/L g/L |
| | | | | | |
| HDLC HDL-Cholesterol | Immunoinhibition | 1 3521 | 35.2 | 28.1 - 42.2 | mg/dL |
| | | | 0.910 | 0.728 - 1.09 | mmol/L |
| | | | 0.352 | 0.281 - 0.422 | g/L |
| | Direct, colorimetric | 1 3561 | 31.6 | 25.3 - 37.9 | mg/dL |
| | | | 0.817 | 0.654 - 0.981 | mmol/L |
| | | | 0.316 | 0.253 - 0.379 | g/L |
| CHOD-PAP Precipitant | 1 1300 + | 31.3 | 25.0 - 37.5 | mg/dL | |
| | 1 3540 | 0.809 | 0.647 - 0.970 | mmol/L | |
| LDLC LDL-Cholesterol | Homogenous Select, TruCal Lipid | 1 4121 | 99.2 | 79.3 - 119 | mg/dL |
| | | | 2.56 | 2.05 - 3.08 | mmol/L |
| | | | 0.992 | 0.793 - 1.19 | g/L |
| | Direct, colorimetric | 1 4131 | 102 | 81.8 - 123 | mg/dL |
| | | | 2.65 | 2.12 - 3.17 | mmol/L |
| | | | 1.02 | 0.818 - 1.23 | g/L |
| CHOD-PAP Precipitant | 1 1300 + | 105 | 83.6 - 125 | mg/dL | |
| | 1 4330 | 2.70 | 2.16 - 3.24 | mmol/L | |
| Lp-PLA₂ Lipoprotein-associated phospholipase A2 | Colorimetric | 1 7181 | 298 | 239 - 358 | U/L |
| | | | 4.97 | 3.98 - 5.96 | µkat/L |
| | | | | | |
| NEFA Non-esterified fatty acids | Enzymatic | 1 5781 | 13.0 | 10.4 - 15.6 | mg/dL |
| | | | 0.459 | 0.367 - 0.551 | mmol/L |
| | | | 0.130 | 0.104 - 0.156 | g/L |
| PL Phospholipids | Enzymatic | 1 5741 | 167 | 134 - 201 | mg/dL |
| | | | 2.16 | 1.73 - 2.59 | mmol/L |
| | | | 1.67 | 1.34 - 2.01 | g/L |
| TRIG Triglycerides | GPO-PAP | 1 5760 | 107 | 85.8 - 129 | mg/dL |
| | | 1 5710 | 1.21 | 0.966 - 1.45 | mmol/L |
| | | | 1.07 | 0.858 - 1.29 | g/L |




DiaSys Diagnostic Systems GmbH
 Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com



TruLab L Level 1

LOT 32552



In-vitro-diagnostic for veterinary use only



2025-01

Cat. No. 5 9020 99 11 065 (3 x 3 mL)

respons[®] 910_{Net}

Value sheet version: 2

| Short Name / Analyte | Method | Reagent ID | Value | Range | Unit |
|----------------------------------------------------------------------|---------------------------------|------------|---------------|----------------------------|---------------|
| APOA1 Apolipoprotein A1 | Immunoturbidimetric | 1 7102 | 106 1.06 | 85.1 - 128 0.851 - 1.28 | mg/dL g/L |
| APOB Apolipoprotein B | Immunoturbidimetric | 1 7112 | 85.4 0.854 | 68.3 - 102 0.683 - 1.02 | mg/dL g/L |
| CHOL Cholesterol | CHOD-PAP | 1 1300 + | 160 | 137 - 182 | mg/dL |
| | | 1 1350 | 4.13 1.60 | 3.55 - 4.70 1.37 - 1.82 | mmol/L g/L |
| | | | | | |
| HDLC HDL-Cholesterol | Immunoinhibition | 1 3521 | 35.2 | 28.1 - 42.2 | mg/dL |
| | | | 0.910 | 0.728 - 1.09 | mmol/L |
| | | | 0.352 | 0.281 - 0.422 | g/L |
| LDLC LDL-Cholesterol | Direct, colorimetric | 1 3561 | 31.6 | 25.3 - 37.9 | mg/dL |
| | | | 0.817 | 0.654 - 0.981 | mmol/L |
| | | | 0.316 | 0.253 - 0.379 | g/L |
| | | | | | |
| LDLC LDL-Cholesterol | Homogenous Select, TruCal Lipid | 1 4121 | 99.2 | 79.3 - 119 | mg/dL |
| | | | 2.56 | 2.05 - 3.08 | mmol/L |
| | | | 0.992 | 0.793 - 1.19 | g/L |
| | | | | | |
| LDLC LDL-Cholesterol | Direct, colorimetric | 1 4131 | 102 | 81.8 - 123 | mg/dL |
| | | | 2.65 | 2.12 - 3.17 | mmol/L |
| | | | 1.02 | 0.818 - 1.23 | g/L |
| | | | | | |
| Lp-PLA₂ Lipoprotein-associated phospholipase A2 | Colorimetric | 1 7181 | 298 4.97 | 239 - 358 3.98 - 5.96 | U/L µkat/L |
| NEFA Non-esterified fatty acids | Enzymatic | 1 5781 | 13.0 | 10.4 - 15.6 | mg/dL |
| | | | 0.459 | 0.367 - 0.551 | mmol/L |
| | | | 0.130 | 0.104 - 0.156 | g/L |
| PL Phospholipids | Enzymatic | 1 5741 | 167 | 134 - 201 | mg/dL |
| | | | 2.16 | 1.73 - 2.59 | mmol/L |
| | | | 1.67 | 1.34 - 2.01 | g/L |
| TRIG Triglycerides | GPO-PAP | 1 5760 | 107 | 85.8 - 129 | mg/dL |
| | | 1 5710 | 1.21 | 0.966 - 1.45 | mmol/L |
| | | | 1.07 | 0.858 - 1.29 | g/L |




DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com



TruLab L Level 1

LOT 32552



In-vitro-diagnostic for veterinary use only



2025-01

Cat. No. 5 9020 99 11 065 (3 x 3 mL)

respons[®]920_{Net}

Value sheet version: 2

| Short Name / Analyte | Method | Reagent ID | Value | Range | 1SD | Unit |
|-----------------------------------|----------------------|------------------|------------------------|-----------------------------------------------|------------------------|------------------------|
| APOA1 Apolipoprotein A1 | Immunoturbidimetric | 1 7102 | 106 1.06 | 85.1 - 128 0.851 - 1.28 | 7.09 0.071 | mg/dL g/L |
| APOB Apolipoprotein B | Immunoturbidimetric | 1 7112 | 85.4 0.854 | 68.3 - 102 0.683 - 1.02 | 5.69 0.057 | mg/dL g/L |
| CHOL Cholesterol | CHOD-PAP | 1 1300 + | 160 | 137 - 182 | 7.45 | mg/dL |
| | | 1 1350 | 4.13 1.60 | 3.55 - 4.70 1.37 - 1.82 | 0.193 0.074 | mmol/L g/L |
| | Immunoinhibition | 1 3521 | 35.2 0.910 0.352 | 28.1 - 42.2 0.728 - 1.09 0.281 - 0.422 | 2.35 0.061 0.023 | mg/dL mmol/L g/L |
| HDLC HDL-Cholesterol | Direct, colorimetric | 1 3561 | 31.6 0.817 0.316 | 25.3 - 37.9 0.654 - 0.981 0.253 - 0.379 | 2.11 0.054 0.021 | mg/dL mmol/L g/L |
| | | 1 4121 | 93.6 2.42 0.936 | 74.9 - 112 1.94 - 2.90 0.749 - 1.12 | 6.24 0.161 0.062 | mg/dL mmol/L g/L |
| | Direct, colorimetric | 1 4131 | 102 2.65 1.02 | 81.8 - 123 2.12 - 3.17 0.818 - 1.23 | 6.82 0.176 0.068 | mg/dL mmol/L g/L |
| | | 1 5760 1 5710 | 107 1.21 1.07 | 85.8 - 129 0.966 - 1.45 0.858 - 1.29 | 7.15 0.081 0.072 | mg/dL mmol/L g/L |
| TRIG Triglycerides | GPO-PAP | 1 5760 1 5710 | 107 1.21 1.07 | 85.8 - 129 0.966 - 1.45 0.858 - 1.29 | 7.15 0.081 0.072 | mg/dL mmol/L g/L |



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com



TruLab L Level 1

LOT 32552



In-vitro-diagnostic for veterinary use only



2025-01

Cat. No. 5 9020 99 11 065 (3 x 3 mL)

respons[®] 940 Net

Value sheet version: 2

| Short Name / Analyte | Method | Reagent ID | Value | Range | 1SD | Unit |
|-----------------------------------|---------------------------------|------------|------------------------|-----------------------------------------------|------------------------|------------------------|
| APOA1 Apolipoprotein A1 | Immunoturbidimetric | 1 7102 | 106 1.06 | 85.1 - 128 0.851 - 1.28 | 7.09 0.071 | mg/dL g/L |
| APOB Apolipoprotein B | Immunoturbidimetric | 1 7112 | 85.4 0.854 | 68.3 - 102 0.683 - 1.02 | 5.69 0.057 | mg/dL g/L |
| CHOL Cholesterol | CHOD-PAP | 1 1300 + | 160 | 137 - 182 | 7.45 | mg/dL |
| | | 1 1350 | 4.13 1.60 | 3.55 - 4.70 1.37 - 1.82 | 0.193 0.074 | mmol/L g/L |
| | | | | | | |
| HDLC HDL-Cholesterol | Immunoinhibition | 1 3521 | 35.2 | 28.1 - 42.2 | 2.35 | mg/dL |
| | | | 0.910 | 0.728 - 1.09 | 0.061 | mmol/L |
| | | | 0.352 | 0.281 - 0.422 | 0.023 | g/L |
| | Direct, colorimetric | 1 3561 | 31.6 0.817 0.316 | 25.3 - 37.9 0.654 - 0.981 0.253 - 0.379 | 2.11 0.054 0.021 | mg/dL mmol/L g/L |
| LDLC LDL-Cholesterol | Homogenous Select, TruCal Lipid | 1 4121 | 93.6 | 74.9 - 112 | 6.24 | mg/dL |
| | | | 2.42 | 1.94 - 2.90 | 0.161 | mmol/L |
| | | | 0.936 | 0.749 - 1.12 | 0.062 | g/L |
| | Direct, colorimetric | 1 4131 | 102 2.65 1.02 | 81.8 - 123 2.12 - 3.17 0.818 - 1.23 | 6.82 0.176 0.068 | mg/dL mmol/L g/L |
| TRIG Triglycerides | GPO-PAP | 1 5760 | 107 | 85.8 - 129 | 7.15 | mg/dL |
| | | 1 5710 | 1.21 | 0.966 - 1.45 | 0.081 | mmol/L |
| | | | 1.07 | 0.858 - 1.29 | 0.072 | g/L |



DiaSys Diagnostic Systems GmbH
Alte Strasse 9 65558 Holzheim Germany
www.diasys-diagnostics.com